



Anchor Bolts Professional Manufacturer

Jiaxing Aoke Trading Co., Ltd.
Jiaxing Aoke Hardware Technology Co., Ltd.


About us

Jiaxing Aoke Trading Co., Ltd. is a subcompany of Jiaxing Aoke Hardware Technology Co., Ltd which is established in 1986 and located in the hometown of fasteners Jiaxing. As the holding company, Jiaxing Aoke is a professional manufacturer including but not limited to Sleeve Anchor, Heavy Duty Anchor, Wedge Anchor, Drop-In Anchor, Chemical Anchor, Metal Frame Anchor, Stampings, Turning Parts and Other Non-Standard Products.

To develop the business and meet the needs of our customers, Jiaxing Aoke Trading Co., Ltd is found in 2020 and specialize in exporting not only the anchors but also other fasteners, such as screws, bolts, nuts ... which are from our cooperated manufacturers.

We always remind us that quality and customers come first, so we provide the best products, delivery time and service to our customers. We warmly welcome our customers to visit our plant and wish we could build a long-term business relationship and create mutual benefits in the future.






Content

Sleeve Anchor I	04
Sleeve Anchor II	05
Shield Anchors-3pcs	06
Shield anchors-4pcs	07
Wedge Anchor	08
Drop In Anchor with Lip	09
Hollow Wall Anchor	10
Metal Frame Anchor	11
Hammer Drive Anchor	12
Ceiling Wall Anchor	12
Others	13

Sleeve Anchor I

- Can be installed in a wide variety of masonry, solid concrete, brick or block
- Provides consistent holding values in a wide range of base materials
- Ready to install no separate parts required
- Easy to remember correct hole size for best results



Sleeve Anchor with Hex Flange Nut

Material: Carbon Steel, SS304
 Surface: Yellow Zinc, White Zinc
 Package: Carton, Box, Pallet



Size	d (+0/-0.4 mm)	D (+0.2/-0.5 mm)	L1 (± 2 mm)	L2 (± 2 mm)
8x25	M6	8	18	25
8x40	M6	8	28	40
8x45	M6	8	34	45
8x50	M6	8	40	50
8x60	M6	8	49	60
8x65	M6	8	55	65
8x70	M6	8	59	70
8x80	M6	8	69	80
8x85	M6	8	74	85
8x90	M6	8	79	90
8x100	M6	8	89	100
8x105	M6	8	94	105
8x115	M6	8	104	115
8x120	M6	8	109	120
8x125	M6	8	114	125
8x140	M6	8	129	140
10x40	M8	10	28	40
10x50	M8	10	36	50
10x55	M8	10	42	55
10x60	M8	10	47	60
10x65	M8	10	52	65
10x70	M8	10	57	70
10x77	M8	10	64	77
10x80	M8	10	67	80
10x90	M8	10	77	90
10x97	M8	10	84	97
10x100	M8	10	87	100
10x120	M8	10	105	120
10x125	M8	10	110	125
10x130	M8	10	115	130
10x140	M8	10	125	140
10x150	M8	10	135	150
10x180	M8	10	165	180
12x60	M10	12	42	60
12x75	M10	12	56	75
12x80	M10	12	62	80
12x99	M10	12	82	99
12x100	M10	12	82	100
12x110	M10	12	92	110

Sleeve Anchor with Hex Flange Nut and Washer




Sleeve Anchor with Hex Nut and Corner



Sleeve Anchor II

- Can be installed in a wide variety of masonry, solid concrete, brick or block
- Provides consistent holding values in a wide range of base materials
- Ready to install no separate parts required
- Easy to remember correct hole size for best results



Sleeve Anchor with Hex Nut Bolt and Washers

Material: Carbon Steel, SS304
 Surface/Finish: Yellow Zinc, White Zinc
 Package: Carton, Box, Pallet



Size	d (+0/-0.4 mm)	D (+0.2/-0.5 mm)	L1 (± 2 mm)	L2 (± 2 mm)
8X40	M6	8	30.00	40
8X45	M6	8	34.50	45
8X60	M6	8	50.00	60
8X75	M6	8	65.00	75
8X80	M6	8	70.00	80
8X85	M6	8	75.00	85
8X90	M6	8	80.30	90
8X100	M6	8	90.30	100
10X50	M8	10	36.00	50
10X55	M8	10	41.00	55
10X60	M8	10	46.00	60
10X75	M8	10	61.00	75
10X80	M8	10	66.00	80
10X85	M8	10	71.00	85
10X90	M8	10	81.00	90
10x100	M8	10	86.00	100
10x110	M8	10	96.00	110
10XI 15	M8	10	101.00	115
10X120	M8	10	106.00	120
10XI25	M8	10	111.00	125
10X130	M8	10	116.00	130
10X140	M8	10	124.90	140
12X65	M10	12	48.00	65
12X70	M10	12	52.00	70
12X80	M10	12	62.00	80
12X100	M10	12	82.00	100
12X110	M10	12	92.00	110
12X120	M10	12	102.00	120
12X140	M10	12	122.00	140
12X150	M10	12	132.00	150
16X80	M12	16	61.00	80
16X110	M12	16	91.00	110
16X130	M12	16	111.00	130
16X150	M12	16	131.00	150
16X160	M12	16	141.00	160
20X110	M16	20	81.00	110

Sleeve Anchor with Eye Bolt and Washer



Sleeve Anchor with "C" Bolt and Washer



Sleeve Anchor with "L" Bolt and Washer




Shield Anchors-3pcs

- 3-Way expansion shield for secure fixing in masonry & concrete
- Ideal for heavy duty fixing applications, such as installation of racking, rails, Barriers, storage systems
- Includes shield, washer, nut, bolt and other accessories

Three Pieces Heavy Duty Anchor with Bolt

Material: Carbon Steel, SS304
 Surface/Finish: Yellow Zinc, White Zinc, Plain
 Package: Carton, Box, Pallet



Internal Thread	Drill Φ mm (d ₀)	Length mm (L)	Drilling Depth mm (h ₀)	Thickness (mm)
M6	12	45	50	1.40
M8	13	50	55	1.80
M10	16	60	65	1.80
M12	20	70	85	2.30
M16	25	95	125	2.50
M20	32	130	140	2.70

Loose Bolt with Shield



Projecting Bolt with Shield



O Forged Hook with Shield



Shield anchors-4pcs


- 4-Way expansion shield for secure fixing in masonry & concrete
- offers extremely strong anchorage, specially manufactured retaining springs ensure encapsulation of the wedge during expansion.
- Includes shield, washer, nut, bolt and other accessories

Four Pieces Heavy Duty Anchor with Bolt

Material: Carbon Steel, SS304

Surface/Finish: Yellow Zinc, White Zinc, Plain, Phosphating

Package: Carton, Box, Pallet



Internal Thread	Drill Φ mm (d_o)	Length mm (L)	Drilling Depth mm (h_o)	Thickness (mm)
M6	10	40	50	1.20
M8	13	50	55	1.50
M10	16	60	65	1.80
M12	20	80	85	2.00
M16	25	100	115	2.30
M20	32	130	135	2.70

L Forged with Shield



C Forged with Shield





Loose Bolts with Shield



Wedge Anchor

- Can be used to install or fasten objects to concrete.
- Can be used for some of the following concrete applications: shelving, railing, duct work, signs, electric pipe, light fixtures, escalators, etc.
- Offer wide range of sizes to insure proper fastener for best results
- Packaged with nuts and washers to have a fast, quick, complete installation

Material: Carbon Steel, SS304
 Surface/Finish: White Zinc, Yellow Zinc
 Package: Carton, Box, Pallet



Size	Thread Length(mm) L	Drilling Diameter(mm) D	Minimum Length of Embedment (mm)
6x50	25	6	30
6x60	35	6	35
6x70	45	6	35
6x80	55	6	35
8x50	20	8	35
8x70	40	8	40
8x80	50	8	40
8x100	70	8	40
8x120	90	8	40
10x60	25	10	40
10x80	45	10	50
10x100	65	10	50
10x120	85	10	50
10x150	110	10	50
12x80	40	12	50
12x100	60	12	60
12x120	80	12	60
12x150	110	12	60
16x100	50	16	70
16x150	100	16	80
16x200	150	16	80
20x100	45	20	80
20x150	95	20	100
20x200	140	20	100
20x300	230	20	100



Drop In Anchor with Lip

- A Drop-In anchor is a female (internal) threaded concrete anchor, tightened by the sleeve dilates against the substrate.
- Can be used for anchoring into solid concrete.
- Accommodate handrails, lighting fixtures, piping, and more.
- The bolt that you are anchoring the fixture with can be removed and reused.

Material: Carbon Steel, SS304

Surface/Finish: White Zinc, Yellow Zinc

Package: Carton, Box, Pallet



Size	d (+0/-0.4 mm)	L (± 2 mm)
M6X25	8	25
M6X30	8	30
M8X25	10	25
M8X30	10	30
M10X30	12	30
M10X40	12	40
M12X50	15	50
M12X50	16	50
M16X55	20	55
M20X80	25	80

Drop In Anchor




Drop In Anchor



Hollow Wall Anchor

- Hollow wall anchors, also known as molly bolts are used with drywall. Use to securely fasten mirrors, pictures, cabinets, and more to hollow walls. This anchor is an expandable sleeve that slides into pre-drilled hole in the wall.
- The anchor is made of high quality zinc plated carbon steel, rust resistance and corrosion resistance, providing strong bearing capacity and safety strong enough for you to hanging items.
- Widely Application: Often used for drywall, hollow block, plaster, tile ,gypsum cardboard, gypsum fiberboard, create board, fiber cement board, hard fiberboard, partition walls, hollow bricks, prefabricated panels.

Material: Carbon Steel, SS304
 Surface/Finish: White Zinc, Yellow Zinc
 Package: Carton, Box, Pallet




Size	A	B	Usable Range	C	M
M4x21	21	27	3 - 8	13.5mm	8mm
M4x32	32	39	3 - 12		
M4x38	38	45	10 - 16		
M4x46	46	53	19 - 27		
M4x52	52	60	18 - 30		
M4x60	60	67	32 - 40	16.5mm	10mm
M5x37	37	44	6 - 13		
M5x52	52	59	5 - 20		
M5x65	65	73	14 - 33		
M5x80	80	87	28 - 50		
M6x37	37	45	3 - 13	18mm	12mm
M6x52	52	60	3 - 20		
M6x65	65	72	15 - 35		
M6x80	80	87	30 - 50	19mm	12mm
M8x37	37	45	3 - 14		
M8x52	52	60	3 - 20		
M8x65	65	73	15 - 33		
M8x80	80	88	28 - 50		

Metal Frame Anchor

- Machinery, Chemical Industry, Environmental, Building
- Hot Galvanizing, Galvanized sheet, Galvanized, Yellow zinc plated


Material: Carbon Steel, SS304
 Surface/Finish: White Zinc, Yellow Zinc
 Package: Carton, Box, Pallet



Size	Weight (g)	Length (mm) LS
M8x72	17.6	80
M8x92	21.7	100
M8x112	27.8	120
M8x132	30.4	140
M8x152	35.6	160
M8x172	42.2	180
M10x52	20.50	60
M10x72	26.50	80
M10x92	31.20	100
M10x112	37.27	120
M10x132	43.6	140
M10x152	49.17	160
M10x182	57.22	190
M10x202	63.12	210

Hammer Drive Anchor


Material: Carbon Steel, Zink Alloy
 Surface/Finish: White Zinc, Yellow Zinc
 Package: Carton, Box, Pallet



Size	d	L	Max Fixture Thickness
M5x22	5.0	22.0	6.0
M6x30	6.0	30.0	12.0
M6x40	6.0	40.0	18.0
M6x50	6.0	50.0	28.0
M6x65	6.0	65.0	32.0

Ceiling Wall Anchor

Material: Carbon Steel
 Surface/Finish: White Zinc, Yellow Zinc
 Package: Carton, Box, Pallet



Size	d	L
6X35	6.0	35.0
6X40	6.0	40.0
6X50	6.0	50.0
6X60	6.0	60.0
6X65	6.0	65.0
6X70	6.0	70.0
8X55	8.0	55.0
8X65	8.0	65.0

Others

Hallow Wall Anchor



Pallet rack step semi- tubular rivets



Hex washer head self drilling screw roof with epdm drill



Hex washer head self drilling screw roof with epdm drill



Self drilling screw with big flat head



Concrete screw countersunk head



Chipboard screw



Confirmat screw




Others

Stampings



Hexagon Head Bolts



Flat Washer



Hexagon Nut





嘉兴奥可贸易有限公司
Jiaxing Aoke Trading Co., Ltd.

地址: 浙江省嘉兴市南湖区南湖大道嘉南美地1号楼1408室

Address: Room 1408, Building #1, Canaan Square, Nanhu Avenue, Jiaxing, China 314050

嘉兴市奥科五金科技股份有限公司
Jiaxing Aoke Hardware Technology Co., Ltd.

地址: 浙江省嘉兴市海盐县百步镇两创中心一期

Address: Phase I of Creative Center, Baibu Town, Haiyan, Zhejiang, China 314312

手机MOB: +86-152-0583-4000

电话TEL: +86-573-83601567

Email: info@aoketrade.com

网址Web: www.aoketrade.com



www.aoketrade.com
